

CRYOGEN-FREE MAGNETS FOR NMR / EPR TO 700 MHZ



600 MHz Wide RT Bore Magnet

Sample Environment:


- » Temperature range between 2 K to 400 K
- » Top or bottom load probe


NMR superconducting magnets deliver high magnetic field homogeneity over the sample volume and excellent temporal field stability. The NMR experiments are typically conducted at fixed field, in persistent mode. Our cryogen-free systems provide this environment, while eliminating the need for liquid cryogens.

The Cryogenic NMR magnets are very flexible compared to traditional systems. With a cryocooled NMR magnet, there is no consumption of liquid helium, so there is no need to have removable current leads to reduce the heat load to the system. This allows the user to set the field at any level up to the maximum rated field for long term operation. It also allows the magnetic field to be dynamically swept between zero to maximum field as required, making them the most versatile NMR magnets available commercially.

Key features

- » Fixed and variable field operation
- » < 1 ppm fixed field central homogeneity
- » Multi-field option without compromises on resolution
- ~ 50 ppm variable field central homogeneity
- » Rapid <<0.1 ppm/hr drift in persistent mode
- » Fast field setting (within an hour)
- » Superconducting sweep coils
- » Designed to minimise vibration resulting in low sample displacement





Unit 6 Acton Park Industrial Estate, The Vale, London W3 7QE, United Kingdom Tel: +44 (0)20 8743 6049 Fax: +44 (0)20 8749 5315 Email: sales@cryogenic.co.uk

CRYOGENIC www.cryogenic.co.uk



Technical Specifications:

54 or 89 wide RT bore systems

Maximum central operating field at 4K Equivalent Maximum Proton frequency

Shimmed central homogeneity

Cryo-shims

Long-term drift rate


Room temperature bore


Field Sweep

Typical initial cool-down to operating temperature

Actively Shielded

Field sweep coil





Model: CFM-700 MHz

14.1 Tesla 700 MHz

1 ppm over 10 mm sphere HHLW

Z1, Z2, X, Y, C2, S2, ZX, ZY

 \leq 0.1 ppm/hr


54 or 89mm diameter


0 T to 14.1 T

70 hrs / 100 hrs

Yes

Optional





co.uk CRYOGENIC

Unit 6 Acton Park Industrial Estate, The Vale, London W3 7QE, United Kingdom **Tel:** +44 (0)20 8743 6049 **Fax:** +44 (0)20 8749 5315 **Email:** sales@cryogenic.co.uk